

CHASSIS PLANS

CPE2CKS-9



The **CPE2CKS-9** is a high performance 1U keyboard drawer. Included is a high quality low profile 83 key keyboard with integrated track ball.

The front of the drawer provides a comfortable padded palm rest. The drawer is held closed by two button latches. Ball bearing slides are included along with mounting brackets to allow installation in any standard 19" rack.

SPECIFICATION

Dimensions

19" (wide) x 1.75" (high) x 23" (deep)

Keyboard

PS/2 connection

High quality gold crosspoint keyswitches

Tactile keystroke

20,000,000 lifecycles per switch

134,000 MTBF

Power: +5V DC @100 mA max

Synchronous 8-bit data

0-50 deg C operating temperature

-20 - 60 deg C storage temperature

Trackball

Integrated in keyboard

16mm ball

Two 'mouse' keys

Located lower right for easy right-hand operation

Regulations

UL, CSA, CE/ENC, DHHS, NORDICS, TUV/GS, 1S09241-3, FCC-B, MPR II, TCO 95

Shipping Weight


17lbs


Shipping Box - 25 x 20 x 5"



The Original Industrial Computer Source TM

PULL-T-IN CABLE MANAGEMENT
BALL BEARING SLIDES



 <p>CHASSIS PLANS A 3D CAD DRAWING SERVICE FOR CUSTOMER SPECIFIC EQUIPMENT</p> <p>4520 Dufferin Ave Suite 100 Channahon, IL 61018 (815) 421-4330 www.chassis-plans.com</p>		<p>THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF CHASSIS PLANS, LLC. IT IS CONFIDENTIAL AND IS NOT TO BE REPRODUCED, COPIED, DISSEMINATED, OR USED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF CHASSIS PLANS, LLC. THIS INFORMATION IS PROVIDED AS A SERVICE TO OUR CUSTOMERS AND IS NOT TO BE USED FOR ANY OTHER PURPOSE. CHASSIS PLANS, LLC IS NOT RESPONSIBLE FOR ANY DAMAGE TO EQUIPMENT OR DATA THAT MAY OCCUR AS A RESULT OF USING THIS INFORMATION.</p> <p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. DIMENSIONS ARE TO CENTER UNLESS NOTED OTHERWISE. SCALE: NONE</p>	
MATERIAL	TITLE	PAGE NUMBER	DATE
FINISH	OPZCKS-9 KEYBOARD DRAWER CUSTOMER DRAWING	OPZCKS-9_CUSTOMER_DWG	1/2/20
<p>SCALE: NONE</p>		<p>SHEET 1 OF 1</p>	